

ConTeXt

Presentation Environment 25

category: ConTeXt Style File

author: Hans Hagen

date: August 7, 2001


```

1 \setuppapersize[S6] [S6]
2 \setuppapersize
   [S6] [S6]
3 \setuplayout
   [width=fit,
    height=fit,
    backspace=50pt,
    topspace=50pt,
    header=0pt,
    footer=0pt,
    margin=0pt]
4 \setupinteraction
   [state=start,
    menu=on]
5 \setupcolors
   [state=start]
6 \setupbackgrounds
   [page]
   [background=page]
7 \startuseMPgraphic{page}
   StartPage ;
   color c [] ; c[0] = red ; c[1] = green ; c[2] = blue ; c[3] = yellow ;
   pickup pencircle scaled 1mm ;
   fill Page withcolor .3white ;
   draw Page enlarged -.5mm withcolor .8white ;
   path p ; p := Field[Text][Text] enlarged 5pt ;
   fill p shifted (15pt,15pt) withcolor (.6c[floor uniformdeviate 4]) ;
   draw p shifted (15pt,15pt) withcolor .8white ;
   fill p withcolor .8white ;
   draw p withcolor .5white ;
   StopPage ;
\stopuseMPgraphic
8 \defineoverlay[page] [\useMPgraphic{page}]
9 \def\StartTopic%
   {\page
    \doglobal\increment\CurrentTopic
    \dostartbuffer[topic-\CurrentTopic] [StartTopic] [StopTopic]}
10 \def\StopTopic%
    {\getbuffer[topic-\CurrentTopic]}
11 \startttext
12 \StartTopic
   \input tufte
   \startitemize[packed]
   \item test test test
   \item test test test

```

```
\item test test test
\stopitemize
\StopTopic

13 \StartTopic
    \input tufte
    \startitemize[packed]
    \item test test test
    \item test test test
    \item test test test
    \stopitemize
    \StopTopic

14 \StartTopic
    \input tufte
    \startitemize[packed]
    \item test test test
    \item test test test
    \item test test test
    \stopitemize
    \StopTopic

15 \StartTopic
    \input tufte
    \startitemize[packed]
    \item test test test
    \item test test test
    \item test test test
    \stopitemize
    \StopTopic

16 \StartTopic
    \input tufte
    \startitemize[packed]
    \item test test test
    \item test test test
    \item test test test
    \stopitemize
    \StopTopic

17 \stoptext
```